



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	8140-2385:0001
<b>CATEGORY:</b>	8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)
<b>LISTEE:</b>	Modern Mill Inc. 1140 Frank Oakes Rd, McComb, MS, 39648 Contact: Lappin, Rick 704-438-8120 Email: rick.lappin@modern-mill.com
<b>DESIGN:</b>	ACRE Shiplap Siding, brown color, tongue & groove, 1" thick x 6" wide, 1" thick x 8" wide and 1" thick x 10" wide, 40% PVC, 60% upcycled rice hulls, installing with a single *layer of 7/16" thick Oriented Strand Board (OSB), a single layer of 5/8" thick Type X gypsum wallboard, and 15-lb roofing felt with 3" overlapping joints. Refer to manufacturer's installation instructions and product data sheets.
<b>RATING:</b>	Tested to SFM 12-7A-1
<b>INSTALLATION:</b>	In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee name, Model number, rating and SFM label.
<b>APPROVAL:</b>	Listed as exterior siding for use in the Wildland Urban Interface areas.
<b>NOTES:</b>	

\*Corrected

07-15-2024 GA



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued: 06/03/2026**

**Listing Expires: 06/30/2027**

Authorized By: **Michael Huang**, Program Coordinator  
Fire Engineering & Investigations Division